CERTIFICATE OF ANALYSIS



Smash House Customer: 3790 SW 30th Ave Fort Lauderdale, FL 33312

THCA flower: Watermelon Zkittles

Batch #: Laboratory Number: ATL- 0212 Report Issue Date: 9/9/2024

Order Date: 9/9/2024 Analysis Date: 9/9/2024

Extraction Technician: LL Analytical Chemist: LL

Unit Weight: 1g / Flower

Sample Description:



Kim Dang Laboratory Manage

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/flower	%		Analyte	LOQ (mg/g)	Results mg/flower	%	\square	Analyte	LOQ (mg/g)	Results mg/flower	%
CBDV-A	<0.011	N/D	N/D		D8-THCV	<0.004	N/D	N/D		СВС	<0.009	1.780	0.178
CBDV	<0.011	N/D	N/D		THCV-A	<0.005	N/D	N/D		CBC-A	<0.005	2.550	0.255
CBD-A	<0.008	22.990	2.299		CBN	<0.011	N/D	N/D		THC-A	<0.005	1.000	0.100
CBG-A	<0.008	87.890	8.789		D9-THC	<0.014	1.800	0.180					
CBG	<0.007	5.600	0.560		D8-THC	<0.005	1.920	0.192					
CBD	<0.008	4.610	0.461		9S-D10-THC	<0.005	N/D	N/D		K	\mathcal{F}		$\langle \rangle$
THCV	<0.008	N/D	N/D		9R-D10-THC	<0.002	N/D	N/D					
		Max	Active 1	тнс	mg/flower 2.68	% 0.27	Total Ac Cannabi		r	ng/flower 116.15	% 11.62		
		Мах	Active	CBD	mg/flower 24.77	% 2.48	Total Cannab	inoids	Ì	ng/flower 130.14	% 13.01		
NOT	TES		ł		XXX			XX					P

Cannabidivarinic Acid(CBDVA) Cannabidivarin(CBDV) Cannabidiolic Acid(CBDA) Cannabigerolic Acid(CBGA) Cannabigerol(CBG) Cannabidiol(CBD) Tetrahydrocannabivarin(THCV) Tetrahydrocannabivarinic Acid(THCVA) Cannabinol(CBN) Delta-9-Tetrahydrocannabinol(D9-THC) Delta-8-Tetrahydrocannabinol(D8-THC) 9S-Delta-10-Tetrahydrocannabinol(9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol(9R-D10-THC) Cannabichromene(CBC) Cannabichromenic Acid(CBCA) Tetrahydrocannabinolic Acid(THCA)

Document ID: ATL-225 Revision: 05 Effective Date:10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduce except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)

