

CERTIFICATE OF ANALYSIS



Customer: Smash House
3790 SW 30th Ave
Fort Lauderdale, FL 33312

Batch #:
Laboratory Number: ATL-0213

Report Issue Date: 9/9/2024
Order Date: 9/9/2024
Analysis Date: 9/9/2024

Sample Description:
THCA Flower: White Runtz



Extraction Technician: LL
Analytical Chemist: LL

Unit Weight: 1g / Flower

Kim Dang
Laboratory Manager

CANNABINOID PROFILE - BASIC

Analyte	LOQ (mg/g)	Results mg/flower	%
CBDV-A	<0.011	N/D	N/D
CBDV	<0.011	N/D	N/D
CBD-A	<0.008	22.980	2.298
CBG-A	<0.008	80.600	8.060
CBG	<0.007	4.850	0.485
CBD	<0.008	4.620	0.462
THCV	<0.008	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/flower	%
D8-THCV	<0.004	N/D	N/D
THCV-A	<0.005	N/D	N/D
CBN	<0.011	N/D	N/D
D9-THC	<0.014	1.690	0.169
D8-THC	<0.005	1.750	0.175
9S-D10-THC	<0.005	N/D	N/D
9R-D10-THC	<0.002	N/D	N/D

Analyte	LOQ (mg/g)	Results mg/flower	%
CBC	<0.009	1.690	0.169
CBC-A	<0.005	2.630	0.263
THC-A	<0.005	0.900	0.090

Max Active THC	mg/flower	%
	2.48	0.25

Total Active Cannabinoids	mg/flower	%
	108.62	10.86

Max Active CBD	mg/flower	%
	24.77	2.48

Total Cannabinoids	mg/flower	%
	121.71	12.17

NOTES

Cannabidiol (CBD), Cannabidiol Acid (CBDA), Cannabigerol (CBG), Cannabigerol Acid (CBGA), Tetrahydrocannabinol (THC), Tetrahydrocannabinol Acid (THCA), Cannabinol (CBN), Delta-9-Tetrahydrocannabinol (D9-THC), Delta-8-Tetrahydrocannabinol (D8-THC), 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC), 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC), Cannabichromene (CBC), Cannabichromene Acid (CBCA), Tetrahydrocannabinolic Acid (THCA)

Document ID: ATL-225 Revision: 05 Effective Date: 10/3/2023

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received.

Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected LOQ: Limit of quantification

Analysis Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 13% as per in VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-500A)